

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	("6292690").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/11 23:31
S2	1471	((324/600) or (600/506,546,547)). CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/07/11 23:31
S3	44	((324/600) or (600/506,546,547)). CCLS.) and (transparent translucent clear) with electrode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/11 23:32
S4	16	((324/600) or (600/506,546,547)). CCLS.) and (calculate with current) and assume\$ with (impeda\$ resist\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/11 23:49
S5	0	(calculate adj2 current with body with tissue) and assume\$ with (impeda\$ resist\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/11 23:50
S6	0	(calculate adj2 current with body with tissue)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/11 23:51
S7	110	(calculate adj2 current with body)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/11 23:52
S8	15	(calculate adj2 current with body) and "600"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/07/11 23:53

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("6748264").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 12:45
L2	1178	(600/547).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 13:10
L3	9	2 and determining with frequency with source	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 12:45
L4	4	(US-20010014777-\$ or US-20030149374-\$).did. or (US-5575292-\$ or US-6532385-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/02/18 12:53
L5	0	4 and on with off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 12:54
L6	3	4 and off	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 12:59
L7	62	2 and off with (transparent electrode light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 12:58
L8	3	2 and power with off with (transparent electrode light)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 12:57
L9	200	on with off with (transparent electrode light) with switch	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 12:58

## EAST Search History

L10	2	4 and power	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 13:25
L11	2	4 and power\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 13:02
L12	151	2 and power\$4 with (step\$4 stand\$4 foot weight pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 13:04
L13	108	12 and @ad<"20021114"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 13:03
L14	10	2 and power\$4 with automatic\$4 with (step\$4 stand\$4 foot weight pressure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 13:04
L15	41	2 and automatic\$ with response	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 13:10
L16	5	2 and automatic\$ with response same (off on power\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 13:10
L17	3	2 and automatic\$ with response same (stand\$ weight load)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 13:11
L18	2	2 and steady with state with voltage and current with drive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 13:31
L19	11	2 and capacitanc\$4 with coupled	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 13:34

## EAST Search History

L20	27	2 and capacitiv\$4 with coupled	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 13:49
L21	188	2 and capacitiv\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 13:49
L22	6	2 and indirect\$4 with couple\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/02/18 13:49